

IP65 Waterproof Distribution Boards

IP65-rated distribution board made from UV-stable ABS and polycarbonate. Weatherproof, flame-retardant, and ideal for outdoor installations.

Specification:

Protection class:
Insulation:
Material:
Shock resistance:
Protection against chemicals and weather conditions:

IP65
Class II
Polycarbonate / ABS
IK10



Water, saline solutions, acids, bases, mineral oils, UV rays

Operating temperature:
Nominal insulation voltage:



-25 °C ... +60 °C
1500V AC – 1500V DC



Code: 4742455005860
4M | PEN 4 + 4



Code: 4742455005877
8M | PEN 8 + 8



The manufacturer reserves the right to modify and make improvements to the products without giving prior warning.

IMPORTER: Elit OÜ
www.elit.ee
elit@elit.ee

IP65 Waterproof Distribution Boards

IP65-rated distribution board made from UV-stable ABS and polycarbonate. Weatherproof, flame-retardant, and ideal for outdoor installations.



Specification:

Protection class:
Insulation:
Material:
Shock resistance:
Protection against chemicals and weather conditions:



IP65
Class II
Polycarbonate / ABS
IK10

Operating temperature:
Nominal insulation voltage:

Water, saline solutions, acids, bases,
mineral oils, UV rays
-25 °C ... +60 °C
1500V AC – 1500V DC



Code: 4742455005884
12M | PEN 12 + 12



Code: 4742455005891
18M | PEN 18 + 18

The manufacturer reserves the right to modify and make improvements to the products without giving prior warning.

IMPORTER: Elit OÜ
www.elit.ee
elit@elit.ee

IP65 Waterproof Distribution Boards

IP65-rated distribution board made from UV-stable ABS and polycarbonate. Weatherproof, flame-retardant, and ideal for outdoor installations.

Specification:

Protection class:
Insulation:
Material:
Shock resistance:
Protection against chemicals and weather conditions:

IP65
Class II
Polycarbonate / ABS
IK10



Water, saline solutions, acids, bases, mineral oils, UV rays

Operating temperature:
Nominal insulation voltage:



-25 °C ... +60 °C
1500V AC – 1500V DC



Code: 4742455005907
26M | PEN 13 + 13



Code: 4742455005914
36M | PEN 12 + 12



The manufacturer reserves the right to modify and make improvements to the products without giving prior warning.



IMPORTER: Elit OÜ
www.elit.ee
elit@elit.ee

IP65 Waterproof Distribution Boards

IP65-rated distribution board made from UV-stable ABS and polycarbonate. Weatherproof, flame-retardant, and ideal for outdoor installations.

Specification:

Protection class:	IP65
Insulation:	Class II
Material:	Polycarbonate / ABS
Shock resistance:	IK10
Protection against chemicals and weather conditions:	Water, saline solutions, acids, bases, mineral oils, UV rays
Operating temperature:	-25 °C ... +60 °C
Nominal insulation voltage:	1500V AC – 1500V DC



Code: 4742455005921
54M | PEN 18 + 18

The manufacturer reserves the right to modify and make improvements to the products without giving prior warning.

IMPORTER: Elit OÜ
www.elit.ee
elit@elit.ee